

Kick Steps

- ★ Available as a standard version or as a model which is manufactured and approved to the recognised European GS standard
- ★ Manufactured from quality steel and rubber for safety & durability
- ★ Snap-lock for quick assembly
- ★ Mounted on 3 sprung loaded polypropylene castors which retract when weight is applied



Kick Steps

Loaded Height mm	Unloaded Height mm	Base Dia. mm	Top Dia. mm	Standard		GS Approved	
				Model	Price	Model	Price
Plastic Kick Steps (available in red, blue, black or grey - please specify when ordering)							
445	450	440	300	KA007Z	£37.95	GA008Z	£41.95
Steel Kick Steps (available in red, green, blue, black, yellow or grey - please specify when ordering)							
430	435	435	290	KA004Z	£42.95	GA009Z	£45.95

Folding Steps with Foam Handle

- ★ Approved to the recognised European GS standard and comply to EN-14183 standard
- ★ Tubular steel construction, fitted with non-slip feet and black foam covered handle, giving a comfortable backing when used as a seat
- ★ Tread size: 380W x 260Dmm



Folding Steps with Foam Handle

No of Treads	Platform Height (mm)	Overall Size H x W x D (mm)	Overall Size - Folded H x W x D (mm)	Model	Price
2	480	820 x 450 x 520	1065 x 450 x 90	GS402Z	£45.50
3	725	1180 x 460 x 670	1310 x 460 x 90	GS403Z	£59.65
4	980	1435 x 500 x 850	1580 x 500 x 90	GS404Z	£76.65

Easy Slope Aluminium Folding Leader Steps

- ★ Aluminium folding steps are ideal for use in offices, storerooms, warehouses etc.
- ★ Certified to EN-14183 standard and manufactured to GS Approval
- ★ Large anti-slip rubber treads (360W x 205Dmm) and high handrail
- ★ Tilt and pull wheels for easy movement without lifting
- ★ Easy slope incline
- ★ Folded size: only 120mm deep



AFGS2Z - Tilt & Pull



AFGS3Z

AFGS4Z



Easy Slope Aluminium Folding Leader Steps

No of Treads	Platform Height (mm)	Overall Size H x W x D (mm)	Overall Height when Folded	Model	Price
2	440	850 x 520 x 545	790	AFGS2Z	£124.20
3	660	1240 x 550 x 830	1060	AFGS3Z	£145.35
4	880	1440 x 580 x 1110	1360	AFGS4Z	£166.35

Double Decker

- ★ Comply to EN-131 Standard (2015)
- ★ Integral toolholder, bucket hook and screwtray
- ★ A quality professional aluminium stepladder, light enough to facilitate easy movement and transportation
- ★ The aluminium platform features a red safety strip - indicator for maximum recommended step height and protective edge to prevent cuts and grazes
- ★ Patented large double step underneath the platform for safe and comfortable standing
- ★ The unit comes complete with heavy-duty sturdy rubber anti-slip feet to make this a superior, professional, stepladder
- ★ Unique double step & rubber platform strip for extra comfort



Tool tray & bucket hook



Unique double step & rubber platform strip for extra comfort




ALT-502105

Double Decker

No of Treads	Platform Height (mm)	Overall Size H x W x D (mm)	Overall Height when Folded	Model	Price
3	616	1244 x 470 x 723	1426	ALT-502103	£79.85
4	828	1461 x 496 x 869	1656	ALT-502104	£87.25
5	1041	1677 x 525 x 1016	1887	ALT-502105	£97.40
6	1253	1893 x 552 x 1163	2117	ALT-502106	£107.30
7	1465	2110 x 580 x 1309	2348	ALT-502107	£120.65
8	1677	2326 x 607 x 1456	2529	ALT-502108	£132.85

Glass Fibre Folding Steps

- ★ Comply to EN-131 Standard (2015)
- ★ Fitted with serrated aluminium treads (standard glass fibre folding steps only) and anti-slip rubber feet
- ★ Integral tool tray for holding tools
- ★ Insulated to 30,000 volts



Insulated to 30,000 volts



GFJN57Z

GFJN53Z

Glass Fibre Stepladders

No of Treads	Closed Height (mm)	Swingback		Platform	
		Model	Price	Model	Price
3	1170	GFJN53Z	£75.25	GFPN503Z	£107.85
4	1470	GFJN54Z	£89.75	GFPN504Z	£126.40
5	1780	GFJN55Z	£105.60	GFPN505Z	£138.70
7	2390	GFJN57Z	£140.40	GFPN507Z	£172.65
9	3000	GFJN59Z	£191.70	-	-

Aluminium Trade Stepladders

- ★ Comply to EN-131 Standard (2015)
- ★ Unique strengthening beam incorporated into non-slip treads
- ★ Rubber feet & aluminium side armshelp prevent slips & twists as there are no tapes or flimsy arms to break
- ★ Lightweight & easy to carry

Climb-It



ATS04Z

APS08Z

Climb-It Aluminium Trade Stepladders

No of Treads	Open Height (mm)	Closed Height (mm)	Platform Height (mm)	Without Handrails		With Handrails	
				Model	Price	Model	Price
Aluminium Swingback Steps Comply to EN-131 Standard (2015)							
3	580	660	-	ATS03Z	£57.35	ATS13Z	£88.65
4	810	890	-	ATS04Z	£63.95	ATS14Z	£95.25
5	1030	1140	-	ATS05Z	£73.85	ATS15Z	£105.10
6	1260	1380	-	ATS06Z	£80.80	ATS16Z	£112.05
7	1480	1620	-	ATS07Z	£88.30	ATS17Z	£119.60
8	1700	1860	-	ATS08Z	£96.35	ATS18Z	£127.60
10	2170	2340	-	ATS10Z	£113.30	ATS110Z	£144.55
12	2570	2820	-	ATS12Z	£130.55	ATS112Z	£161.80
Aluminium Platform Steps Comply to EN-131 Standard (2015)							
3	1240	1350	590	APS03Z	£78.15	APS13Z	£109.40
4	1460	1590	810	APS04Z	£84.75	APS14Z	£116.00
5	1680	1830	1030	APS05Z	£95.30	APS15Z	£126.55
6	1910	2070	1260	APS06Z	£102.10	APS16Z	£133.40
7	2130	2310	1480	APS07Z	£111.60	APS17Z	£142.90
8	2310	2550	1670	APS08Z	£112.75	APS18Z	£144.00
10	2740	3010	2120	APS10Z	£139.45	APS110Z	£170.70
12	3200	3520	2600	APS12Z	£156.90	APS112Z	£188.15

i High quality Aluminium Steps and the Double Decker comes with a 5 year guarantee.





Fort Stable Steps

- ★ Certified to EN 14183 standard
- ★ Manufactured & approved to the recognised European GS standard
- ★ Platform size: 200D x 396W mm
- ★ Open mesh treads facilitates safe use with muddy boots and in dirty environments
- ★ Robust, ergonomic and heavy duty grey rubber non-marking grounding feet make these units extremely stable



GS3002G
Galvanised Finish



GS3113M in use

Fort Stable Steps

Description	Platform Height (mm)	Overall Size H x W x D (mm)	Painted Finish		Galvanised Finish	
			Model	Price	Model	Price
2 Step Unit without Handrail	400	436 x 450 x 606	GS3002M	£84.85	GS3002G	£96.75
2 Step Unit with Handrail	400	990 x 450 x 606	GS3012M	£98.60	GS3012G	£113.55
2 Step Unit with Handrail & Rear Wheels	400	990 x 450 x 686	GS3112M	£110.45	GS3112G	£125.40
3 Step Unit without Handrail	600	636 x 450 x 806	GS3003M	£118.25	GS3003G	£136.10
3 Step Unit with Handrail	600	1190 x 450 x 806	GS3013M	£134.40	GS3013G	£155.25
3 Step Unit with Handrail & Rear Wheels	600	1190 x 450 x 886	GS3113M	£146.05	GS3113G	£166.95



GSD704M
In Use



GSD703G
Galvanised Finish



GSD704M



Open rear allows step through access to a loading bay or lorry etc

Fort Dock Steps

- ★ Certified to EN-14183
- ★ Manufactured and approved to the recognised European GS standard
- ★ Fitted with lift handles which incorporate knuckle guard hand grips and 2 x 150mm rubber tyred wheels which make these units extremely manoeuvrable
- ★ Open rear allows step through access to a loading bay or lorry etc
- ★ Tread depth: 145mm
- ★ Platform size: 400W x 300D mm



Fort Dock Steps

No of Treads	Platform Height mm	Overall Size H x W x D mm	Mesh Tread		Rubber Tread	
			Model	Price	Model	Price
Powder Coated Finish						
2	500	1210 x 480 x 685	GSD702M	£228.05	GSD702R	£234.90
3	750	1460 x 510 x 857	GSD703M	£271.55	GSD703R	£280.75
4	1000	1710 x 540 x 1020	GSD704M	£323.20	GSD704R	£335.95
Galvanised Finish						
2	500	1210 x 480 x 685	GSD702G	£244.75	-	-
3	750	1460 x 510 x 857	GSD703G	£293.25	-	-
4	1000	1710 x 540 x 1020	GSD704G	£349.95	-	-

📌 Fort steel framed steps for safety, strength and durability. UK Manufactured complete with a 3 year guarantee.

Range of Safety Steps



Resilient anti-slip treads with tread clamps



WM513

Fort Domed Steps

- ★ Tread size: 400W x 150D mm
- ★ Platform size: 400W x 300D mm
- ★ These steps glide easily across floors, but once body weight is applied they stay firmly in position



GSS704M

Fort Spring Steps

- ★ Certified to EN-131
- ★ Manufactured and approved to the recognised European GS standard
- ★ Platform size: 400W x 300Dmm
- ★ Tread depth: 145mm



GSS708R

Fort Dock Steps

No of Treads	Platform Height (mm)	Overall Size H x W x D (mm)	Mesh Tread		Rubber Tread	
			Model	Price	Model	Price
2	500	1210 x 540 x 820	GSS702M	£259.05	GSS702R	£270.55
3	750	1460 x 570 x 1032	GSS703M	£303.00	GSS703R	£321.90
4	1000	1710 x 600 x 1244	GSS704M	£355.50	GSS704R	£385.10
5	1250	1960 x 630 x 1456	GSS705M	£407.70	GSS705R	£451.55
6	1500	2210 x 660 x 1668	GSS706M	£462.20	GSS706R	£523.60
7	1750	2460 x 690 x 1880	GSS707M	£527.70	GSS707R	£607.65
8	2000	2710 x 720 x 2029	GSS708M	£581.30	GSS708R	£683.05

Fort Domed Feet Steps

Description	Platform Height (mm)	Overall Size H x W x D (mm)	Mesh Treads		Anti-slip Treads	
			Model	Price	Model	Price
2 Step Unit without Handrail	500	580 x 560 x 575	WM510	£188.60	WS510	£202.65
2 Step Unit Looped Handrail	500	960 x 560 x 575	WM511	£219.35	WS511	£235.75
2 Step Unit with Full Handrail	500	960 x 560 x 575	WM512	£230.95	WS512	£248.25
3 Step Unit with Full Handrail	750	1460 x 560 x 725	WM513	£271.30	WS513	£291.85
4 Step Unit with Full Handrail	1000	1710 x 560 x 875	WM514	£320.50	WS514	£344.10
5 Step Unit with Full Handrail	1250	1960 x 610 x 1025	WM515	£381.15	WS515	£409.20

i Fort steel framed steps for safety, strength and durability. UK Manufactured complete with a 3 year guarantee.

